

Forest scenes

Kauri forest with kereru/kukupā
Podocarp forest edge /layers
Forest layers

Trees/other plants (complete view)

Beech (mountain) • *Nothofagus solandri cliffortioides*
Cabbage tree (2) • *Cordyline australis*
Cabbage tree (mountain) • *C. indivisa*
Cabbage tree (bush) • *C. banksii*
Cabbage tree (3 kings) • *C. kaspar*
Cabbage tree (dwarf) • *C. pumilo*
Coprosma robusta
Dactylanthus taylorii
Dracophyllum longifolium
Flax • *Phormium tenax*
Kahikatea • *Dacrycarpus dacrydioides*
Kaikawaka • *Libocedrus bidwillii*
Kamahi • *Weinmannia racemosa*
Kānuka • *Kunzea ericoides*
Kauri • *Agathis australis*
Mamaku • *Cyathea medullaris*
Manuka • *Leptospermum scoparium*
Matai • *Prumnopitys taxifolia*
Nikau palm • *Rhopalostylus sapida*
Pingao • *Desmoschoenus spiralis*
Pittosporum tenuifolium
Ponga • *Cyathea dealbata*
Red beard orchid • *Calochilus robertsonii*
Red beech • *Nothofagus fusca*
Rimu • *Dacrydium cupressinum*
Shining broadleaf Mountain daisy • *Griselinia littoralis*
Sporodanthus traversii
Sundew • *Drosera spatulata*
Totara • *Podocarpus totara*
Wheki • *Dicksonia squarrosa*
Wheki ponga • *Dicksonia fibrosa*




Leaves/flowers or berries (native)

Akeake • *Myoporum laetum*
Bartlett's rata • *Metrosideros bartlettii*
Beech leaves selection • (*Nothofagus* spp)
Beech (black) • *Nothofagus solandri solandri*
Beech (red) • *Nothofagus fusca*
Beech silver • *Nothofagus menziesii*
Birdcatcher tree / Parapara • *Heimerliodendron brunonianum*
Brachylottis greyi

Bush lawyer • *Rubus cissoides*
Carmichaelia australis
Clematis paniculata
 Cook's scurvy grass • *Lepidium oleraceum*
Coprosma aereolata
Coprosma arborea
Coprosma propinqua
Coprosma taiko
Coprosma rhamnoides
Coprosma robusta
Corokia buddleoides
Corokia cunninghamii
Dracophyllum sinclarii
Elingamita johnsonii
 Five finger • *Pseudopanex arboreus*
 Flax flower • *Phormium tenax*
 Fuchsia (tree) • *Fuchsia excorticata*
 Halls totara • *Podocarpus cunninghamii*
 Hangehange • *Geniostoma ligustrifolium*
 Hinau • *Elaeocarpus dentatus*
 Horopito • *Pseudowintera colorata*
 Houpara • *Pseudopanex lessonii*
 Houhere
 Hutu • *Ascarina lucida*
 Kahikatea • *Dacrycarpus dacrydioides*
 Kaikawaka • *Libocedrus bidwillii*
 Kaikōmako • *Pennantia corymbose*
 Kakabeak • *Clanthus puniceus*
 Kamahi • *Weinmannia racemosa*
 Kanuka • *Kunzea ericoides*
 Karaka • *Corynocarpus laevigatus*
 Karo • *Pittosporum crassifolium*
 Kauri • *Agathia australis*
 Kawaka • *Libocedrus plumosa*
 Kawakawa • *Macropiper excelsum*
 Kohekohe • *Dysoxylum spectabile*
 Kohuhu • *Pittosporum tenuifolium*
 Korokia • *Corokia buddleioides*
 Koramiko • *Hebe stricta*
 Kowhai • *Sophora tetraptera*
 Kowhai • *Sophora chatamica*
 Lancewood • *Pseudopanex crassifolius*
 Lancewood (fierce) • *Pseudopanex ferox*
 Lemonwood • *Pittosporum eugenoides*
 Mahoe • *Melicytus ramiflorus*
 Mahoe (coastal) • *Melicytus novae-zelandiae*
 Makamaka • *Ackama rosifolia*
 Mangeao • *Lisea calicaris*
 Manuka • *Leptospermum scoparium*
 Manoao • *Halocarpus kirkii*
 Mapou • *Myrsine australis*
 Matai • *Prumnopitys taxifolia*
 Mingimingi (soft) • *Leucopogon fasciculatus*
 Miro • *Prumnopitys ferruginea*



Mistletoe • *Peraxilla colensoi*
 Mistletoe • *Tupeia Antarctica*
 Mistletoe • *Ileostyrus micranthus*
 Mountain inaka • *Dracophyllum returnum*
Muehlenbeckia complexa
 Neinei (needle leaved) • *Dracophyllum latifolium*
 NZ passion vine • *Passiflora tendrata*
Olearia furfuracea
Olearia lineata
Olearia rani
Olearia virgata
 Ongaonga • *Urtica ferox*
 Orchid (bamboo) / Easter earina • *Earina autumnalis*
 Orchid (bamboo) / Summer earina • *Earina aestivalis*
 Orchid (hanging tree) • *Earina mucronata*
 Pate • *Schleffera digitata*
 Pigeonwood • *Hedycarya arbora*
 Pink pine • *Halocarpus biformis*
Pittosporum umbellatum
 Pohutukawa (2) • *Metrosideros excelsa*
 Poroporo • *Solanum aviculare*
 Putaputaweta • *Carpodetus serratus*
 Rangiora • *Brachyglottis repanda*
 Rātā (crimson) • *Metrosideros carminea*
 Rātā vine / Scarlet rātā • *Metrosideros fulgens*
 Rātā (whitre) • *Metrosideros perforata*
 Rātā (southern) • *Metrosideros mbellata*
Rhabdothamnus solandri
 Raukawa • *Raukaua edgerleyi*
 Red mistletoe • *Peraxilla tetrapetala*
 Ribbonwood (mountain) • *Hoheria glabrata*
 Ribbonwood (swamp) • *Plagianthus divaricatus*
 Rimu • *Dacrydium cuppressinum*
 Rewarewa • *Knightia excelsa*
 Stinkwood • *Coprosma foetidissima*
Streblus herterophyllus
 Tanekaha • *Phyllocladus trichomanoides*
 Taraire • *Beilschmiedia taraire*
 Tauhinu • *Ozothamnus leptophyllus*
 Tauhinu (mountain) • *Ozothamnus vauvilliersii*
 Taupata • *Coprosma repens*
 Tawa • *Beilschmiedia tawa*
 Tawari • *Ixerba brexioides*
Tecomanthe speciosa
Teucrium parvifolium
 Titoki • *Alectryon excelsus*
 Toatoa • *Haloragis erecta*
 Totara • *Podocarpus totara*
 Towai • *Weinmannia silvicola*
 Topopapa • *Alseuosmia macrophylla*
 Tutu • *Coriaria arborea*
 Tutu • *Coriaria armentosa*



Veronica (Hebe) speciosa
Veronica (Hebe) unuwhao
Veronica (Hebe) hectori
Veronica (Hebe) blue gem
Veronica (Hebe) lavender lace
Veronica (Hebe) natalie x
 Wavy leaved coprosma • *Coprosma tenuifolia*
 Weeping matipo • *Myrsine divaricata*
 Wharangi • *Melicope ternata*
 Whau • *Entelea arborescens*
 Wineberry • *Aristotelia serrata*




Native birds

Antipodes island parakeet • *Cyanoramphus unicolor*
 Auckland Island teal • *Anas aucklandica*
 Australasian harrier (flying) • *Circus approximans*
 Banded dotterel • *Charadrius bicinctus*
 Bellbird • *Anthornia melanura*
 Black stilt • *Himantopus novaezealandiae*
 Brown teal/pāteke • *Anas chlorotis*
 Crested grebe • *Podiceps cristatus australis*
 Fantail • *Rhipidura fuliginosa*
 Fernbird (2) • *Bowdleria punctata*
 Godwit (Eastern bar-tailed) • *Limosa lapponica*
 Grey warbler • *Gerygone igata*
 Gull (red billed) • *Larus novaehollandiae scopulinus*
 Kaka (2) • *Nestor meridionalis*
 Kakapo • *Strigops habroptilis*
 Kea • *Nestor notabilis*
 Kingfisher / Kotare • *Halcyon sancta*
 Kiwi (Brown N.I.) (2) • *Apteryx australis mantelli*
 Kiwi (Brown S.I./Haast tokoeka) • *A. australis australis*
 Kiwi (great spotted) • *A. haasti*
 Kiwi (little spotted) • *A. oweni*
 Kokako (N.I.) adults and chick • *Callaeas cinerea wilsoni*
 Little penguin • *Eudyptula minor*
 Morepork • *Ninox novaeseelandiae*
 NZ dotterel (2) • *Charadrius obscurus*
 NZ falcon (3) • *Falco novaeseelandiae*
 NZ shore plover • *Thinornis novaeseelandiae*
 NZ thrush/piopio (extinct) • *Turnagra capensis*
 NZ tomtit • *Petroica macrocephala*
 Oyster catcher (Chatham Is.) • *Haematopus chathamensis*
 Oyster catcher (pied) • *Haematopus finschi*
 Oyster catcher (variable) • *Haematopus ostralegus finschi*
 Paradise shelduck • *Tadorna variegata*
 Petrel (Pycrofts) (2) • *Pterodroma pycrofti*
 Petrel (Westland black) • *Procellaria westlandica*
 Pied cormorant • *Phalacrocorax varius*
 Pied stilt • *Himantopus himantopus leucocephalus*
 Pigeon (kereru/kukupa) • *Hemiphaga novaeseelandiae*


Fern bird



Little spotted kiwi



Pigeon (Chatham Is.) • *Hemiphaga novaeseelandiae chathamensis*
 Pigeon flying • *Hemiphaga novaeseelandiae*
 Red necked avocet • *Recurvirostra novaehollandiae*
 Rifleman • *Acanthisitta chloris*
 Robin (black) • *Petroica traversi*
 Robin (N.I.) • *Petroica australis longipes*
 Robin (S.I.) • *Petroica a. australis*
 Rock wren • *Xenicus gilviventris*
 Saddleback (N.I.) • *Philesturnus carunculatus rufusater*
 Scaup • *Aythya novaeseelandiae*
 Shining cuckoo • *Chalcites lucidus*
 Silvereye • *Zosterops lateralis*
 Snipe • *Coenocorypha sp.*
 Sooty shearwater (egg/chick/fledgling/adult)
 Spoonbill • *Platalea regia*
 Taiko (Chatham Is.) • *Pterodroma magentae*
 Takahe • *Porphyrio mantelli*
 Tern (black fronted) • *Sterna albobriatus*
 Tern (white fronted) • *Sterna striata*
 Tern (caspiian) (2) • *Hydroprogne caspia*
 Tern (fairy) • *Sterna nereis*
 Tui • *Prosthemadera novaeseelandiae*
 Turnstone • *Arenaria interpres*
 Wandering albatross (2) • *Diomedea epomophora*
 Waxeye / Silvereye / Tauhou • *Zosterops lateralis*
 Weka (N.I.) • *Gallirallus australis greyi*
 Whitehead • *Mohoua albicilla*
 Wrybill • *Anarhynchus frontalis*
 Yellowhead • *Mohoua ochrocephala*
 Yellow-eyed penguin • *Megadyptes antipode*



Scaup

Lizards

Tuatara (2) • *Sphenodon punctatus*

Geckos

Black-eyed gecko • *Hoplodactylus kahutarae*

Forest gecko • *H. granulatus*

Gold striped gecko • *H. chrysosireticus*

Harlequin gecko • *H. rakiurae*

Kawekaweau (extinct) • *H. delcourtii*

Northland green gecko • *Naultinus grayi*


Striped gecko • *H. stephensi*

Skinks


Chevron skink • *Oligosoma omalonotum*

Copper skink • *Cyclodina aenea*

Grand skink (2) • *O. grande*




Tuatara



Forest gecko

Grasses, rushes and ground cover

Apodasmis similis
Baumea complanata
Carex comans
Carex secta
Carex solandrii
Centella / Marsh pennywort • *Centella uniflora*
 Chatham Island forget-me-not • *Myosotidium hortensia*
 Spreading swamp sedge • *Carex lesssoniana*
Cyperus ustulatus
 Dwarf toitoi • *Chionocloa flavicans*
 Hook grass • *Unicinia rubra*
 Ice plant (native) • *Disphyma australe*
Juncus pallidus
Juncus kraussii
 Ice plant (native)
Leptonella nana
Libertia grandifolia
L. ixioides
L. perigrinans
Machaerina sinclairii
Muehlenbeckia astonii
Muehlenbeckia astonii
 Pygmy button grass • *Schleffera digitata*
Pratia angulata
 Raupö / Bullrush • *Typha orientalis*
 Red tussock • *Chionochloa rubra*
 Rengarenga lily • *Arthropodium cirratum*
 Scented holly grass •
Scleranthus biflorus
 Spinefex
 Toitoi • *Cortaderia fulvida*




Alpine plants

Astelia fragrans
 Edelweis (North Island) • *Leucognes leontopodium*
Hebe odora (bush and twig)
 Inaka • *Dracophyllum recurvum*
 Monoao • *Dracophyllum subulatum*
 Mountain daisy • *Celmisia spectabilis*
 Mountain daisy • *Celmisia incana*
 Mountain foxglove • *Ourisia vulcanica*
 Mountain harbelle • *Wahlenbergia pygmaea*
 Red tussock • *Chionochloa rubra*
 Snowberry • *Gaulthreia depressa*
 Snow totara • *Podocarpus nivalis*
 Sun orchid • *Thelmitra*
 Tall pinatoro • *Pimelia buxifolia*



Ferns

Asplenium lyalli
Asplenium polyodon
Blechnum chambersii
Blechnum novae-zealandiae
Blechnum penna-marina
 Crown fern • *Blechnum discolor*
 Filmy fern (drooping) • *Hymenophyllum demissum*
 Fragrant fern / Moki • *Microsorium scandens*
 Gully fern • *Pneumatopteris pennigera*
 Hanging (or drooping) spleenwort • *Asplenium flacidum*
 Hen and chicken fern • *Asplenium bulbiferum*
 Hounds tongue fern • *Microsorium pustulatum*
 Kidney fern • *Trichomanes reniforme*
 King fern • *Marattia salicina*
 King fern • *Todea Barbara*
 Kiwakiwa • *Blechnum fluviatile*
 Lance fern / Rereti • *Blechnum chambersii*
Lastreopsis glabella
 Maidenhair (giant) • *Adiantum formosum*
 Maidenhair (rosy) • *Adiantum hispidulum*
 Maidenhair • *Adiantum cunninghamii*
Pellea falcata
Pellea rotundifolia
 Prickly rasp fern • *Doodia aspera*
 Rasp fern • *Doodia media*
 Shining spleenwort • *Asplenium oblongifolium*
 Shield fern (common), pikopiko • *Polystichum richardii*
 Sickie spleenwort / Petako • *Asplenium polyodon*
 Smiths tree fern • *Cyathea smithii*
 Prickly shield fern • *Polystichum vestitum*
 Thread fern • *Blechnum filiforme*



Weeds (land and aquatic)


Blackberry *Rubus fruticosus* Rosaceae
 Curly oxygen weed • *Lagarosiphon major*
 Canadian pond weed • *Elodea canadensis*
 Darwin's barberry
 Great bindweed (*colvolvulus*) • *Calystegia sylvatica*
 Dense oxygen weed • *Egeria densa*
 Gorse • *Ulex europaeus*
 Heather • *Calluna vulgaris*
 Hornwort • *Ceratophyllum demersum*
 Parrot's feather • *Myriophyllum aquaticum*
 Wandering willy • *Tecomanthe speciosa*




Otago skink • *O. Otagense*
 Robust skink • *C. alani*
 Striped skink • *O. striatum*
 Whitikers skink • *C. Whitikeri*

Insects/other invertebrates

Argentine ant • *Linepithema humile*
 Bee - native (2) • *Leioproctus fulvvescens*
 Cabbage tree moth • *Epiphyryne verriculata*
 Caterpillar (looper)
 Centipede
 Cockroach • *Celatobatta vulgaris*
 Chaffer beetle (spotted)
 Cicada
 Coprosma mite • *Phyllocoptes coprosma*
 Coromandel Stag beetle • *Dorcus sp*
 Flax weevil • *Anagotus fairburni*
 Giant centipede • *Cormocephalus rubriceps*
 Helms stag beetle • *Dorcus helmsi*
 Huhu Beetle and grub • *Prionoplus reticularis*
 Katydid • *Caedicia simplex*
 Kawakawa moth / pupa
 Kowhai moth • *Uresiphita polygonalis maorialis*
 Mayfloy (fly)
 Mahoe leaf miner (life stages and damage caused)
 Marlborough Ground beetle • *Megadromus sp.*
 Millipede
 Nereidae water worm
 Peripatus • *Peripatoides novaezealandiae*
 Pittosporum psyllid (all life stages and damage caused)
 Poroporo fruit borer (all life stages and damage caused)
 Pohutukawa leaf miner • *Neomycta rubida* (all life stages and damage caused)
 Praying mantis • *Orthodera ministralis*
 Puriri moth • *Aenetus virescens* (all life stages and damage caused)
Radinosomus acuminatus (adult / larvae)
 Robust grasshopper • *Brachaspis robustus*
 Sheetweb spider • *Cambridgea foliata*
 Stick insect
 Stonefly nymph
 Water mite
 Weta punga
 Weta (scree) • *Deinacrida connectens*
 Weta (tree) • *Hemideina sp.*
 Weta (tusked) • *Hemiandrus sp.*
 Worm - native



Argentine ant



Pohutukawa leaf miner

Frogs

Archeys frog • *Leiopelma archeyi*
 Hamiltons frog • *L. hamiltoni*
 Hochstetters frog • *L. hochstetteri*



Archeys frog


Bats

Long tailed bat • *Chalinolobus tuberculatus*
Short tailed bat (2) • *Mystacina tuberculata*

Introduced animals / birds


Foot prints and droppings of most NZ mammalian pest species

Blackbird • *Turdus merula*
Cat • *Felix cattus*
Deer (red) (2) • *Cervus elaphus*
Deer (sika) • *Cervus nippon*
Dove (spotted/Malay) • *Streptopelia chinensis*
Ferret (3) • *Mustela putorius*
German wasp • *Vespula germanica*
Goat (2) • *Capra hircus*
Goldfinch • *Carduelis carduelis*
Green frog • *Litoria aurea*
Mouse • *Mus musculus*
Myna (Indian) • *Acridotheres tristis*
Norwegian rat • *Rattus Norvegicus*
Pig • *Sus scrota*
Possum (2) • *Trichosurus vulpecula*
Rat (ship) • *Rattus rattus*
Rat (Norway) • *Rattus norvegicus*
Rosella (eastern) • *Platycercus eximius*
Song thrush • *Turdus philomelos*
Starling • *Sturnus vulgaris*
Sparrow • *Passer domesticus*
Stoat • *Mustela erminea*
Weasel • *Mustela nivalis*




Pest or introduced fish

Brown trout • *Salmo trutta*
Catfish • *Ictalurus nebulosus*
Goldfish • *Carassius auratus*
Grass carp • *Ctenopharyngodon idella*
Guppy • *Poecilia reticulata*
Koi carp • *Cyprinus carpio*
Mosquitofish • *Gambusia affinis*
Perch • *Perca fluviatilis*
Rainbow trout • *Oncorhynchus mykiss*
Rudd • *Scardinius erythrophthalmus*
Seastar (eleven armed)
Silver carp • *Hypophthalmichthys molitrix*
Tench • *Tinca tinca*



Turtles

Hawksbill turtle • *Eretmochelys imbricate*
Leathery turtle • *Dermochelys coriacea*
Olive Ridley turtle • *Lepidochelys olivacea*
Loggerhead turtle • *Caretta caretta*
Green turtle • *Chelonia mydas*






Marine mammals

New Zealand sea lion • *Phocarctos hookeri*
New Zealand fur seal • *Arctocephalus forsteri*
Orca • *Orcinus orca*

Marine / freshwater fish / shellfish

Black flounder • *Rhombosolea retiaria*
Blue cod • *Parapercis colias*
Blue-eyed triple fin • *Notoclinopops segmentatus*
Brown mudfish • *Neochanna apoda*
Cockle
Dolphin (bottlenosed)
Eagle ray
Eel (longfinned) (2) • *Anguilla dieffenbachia*
Eel (shortfinned) • *A. australis*
Flounder (yellow-bellied)
Greyling (extinct) • *Prototroctes oxyrhynchus*
Grey mullet • *Mugil cephalus*
Hapuka • *Polyprion oxygeneious*
Kahawai
Kingfish
Koura • *Paranephrops planifrons*
Orange roughy •
Oyster (rock)
Oyster (Pacific)
Parore
Piper
Pipi
Red finned bully • *Gobiomorphus huttoni*
Rig shark / spotted dogfish
Smelt • *Retropinna retropinna*
Snapper • *Pagrus auratus*
Spotty
Stargazer
Sting ray
Trevally
Wedgeshell
Whale (Bryde's)
Yellow-eyed mullet




Snails

Flax snail • *Placostylus umbagiosus*
Powelliphanta sp
Wainuia land snail • *Wainuia* sp

Exotic land plants

Almond • *Prunus dulcis*
Ash (European) • *Fraxinus excelsior*
Birch (silver)
Blossom tree • *Prunus serulata*
Bunya bunya branch and cone
Canary pine (branch and cone)
Casuarina cunninghamiana
Cedar (Australian)
Cherry (Taiwan) • *Prunus campanulata*
Cherry (Japanese) • *Prunus serulata*
Chestnut (sweet)
Chestnut (horse)
Chestnut (red)
Chir pine (branch and cone)
Cyprus (Bhutan) branch and cone
Cyprus (Japanese) branch and cone
Elm (Dutch) • *Ulmus x hollandica*
Elm (English) • *Ulmus minor* 'Atinia'
Elm (golden) • *Ulmus glabra*
Fig • *Ficus carica*
Ginko • *Ginkgo biloba*
Laurel (camphor)
Liquid amber
Magnolia (saucer)
Magnolia (tulip)
Oak (cork) • *Quercus suber*
Oak (English)
Oak (Holm)
Oak (pin)
Oak (scarlet)
Pine (hoop) branch and cone
Pine (Norfolk) branch and cone
Platanus acerifolia
Poplar (Chinese) *Populus yunnanensis*
Queensland kauri (branch and cone)
Sequoia - coastal (branch and cone)
Sycamore • *Acer pseudoplatanus*
Tahitian pohutukawa



Water plants

Apodasmia similis
Baumea
Glossostigma
Gratiola sexdentata
Isoleptus
Mycrohyllum propinquum
Myriophyllum robustum
Pilularia
Ranunculus amphitricus
Ranunculus limosella

Miscellaneous

ATV and driver
Coromandel skyline
Diver
Hen & Chicken Islands
Man and dog
Snorkeler
Wetland scenes (various)
Flax items (shawl, kete, piupiu, ro
kaitaka etc)

Cartoons

Blue duck
Crayfish
Family day walking
Ferret
Koi carp
Little penguins (swimming / nest
making / nesting)
Man bird watching
Pigeon (2) sitting / flying
Possum
Rat
Risk assessment
Stoat
Triathletes
Tui (2) sitting / flying

